






















型號	10 小時 率容 量	最大 長度 (mm)	最大 寬度 (mm)	最大 高度 (mm)	極性配置	不含 酸約 重 (kg)	酸液 約重 (L)	含液 約重 (kg)	端子 型式
*GT12B-4	10	151	70	131		3.6	0.52		D
GT12-12B	11	136	82	162		3.4	0.61		D
GT12A-BS (無漏斗 式)	10	151	88	106		2.7	0.5		D
GT12-BS	11	136	82	162		3.4	0.61		D
GT14-12B	12	136	91	168		3.9	0.76		D
GT14-BS	12	136	91	168		3.9	0.76		D
GT14L- 12B	12	136	91	168		3.9	0.76		D
GT14L-BS	12	136	91	168		3.9	0.76		D
GT16-12B	16	177	102	157		5.1	0.98		D
GT16-BS	16	177	102	157		5.1	0.98		D
GT16L- 12B	16	177	102	157		5.1	0.98		D
GT16L-BS	16	177	102	157		5.1	0.98		D
GT4L-BS	3	114	71	86.5		1.4	0.18		D
GT4L-BS (無漏斗 式)	3	114	71	86.5		1.4	0.18		D
GT7B-BS (無漏斗 式)	6.5	151	66	94		1.9	0.29		D
GTX12- 12B	10	151	88	131		3.6	0.58		D

GTX12-BS	10	151	88	131		3.6	0.56		D
GTX12-BS (無漏斗式)	10	151	88	131		3.6	0.56		D
GTX14-12B	12	151	88	146		3.8	0.70		D
GTX14-BS	12	151	88	146		3.8	0.68		D
GTX14-BS (無漏斗式)	12	151	88	146		3.8	0.68		D
GTX18L-12B	18	207	91	164		5.8	1.18		D
GTX18L-BS	18	207	91	164		5.8	1.18		D
GTX20-BS	18	177	89	157		5.4	0.85		D
GTX20L-12B	18	177	89	157		5.4	0.85		D
GTX20L-BS	18	177	89	157		5.4	0.85		D
GTX4L-BS	3	114	71	86.5		1.3	0.18		D
GTX4L-BS (無漏斗式)	3	114	71	86.5		1.3	0.18		D
GTX5L-BS	4	114	71	106		1.7	0.23		D
GTX5L-BS (無漏斗式)	4	114	71	106		1.7	0.23		D
GTX7A-BS	6	151	88	94		2.4	0.35		D
GTX7A-BS (無漏斗式)	6	151	88	94		2.4	0.35		D
GTX7L-12B	6	114	71	131		2.3	0.33		D
GTX7L-BS	6	114	71	131		2.3	0.33		D

GTX7L-BS (無漏斗式)	6	114	71	131		2.3	0.33		D
GTX9-12B	8	151	88	106		2.8	0.41		D
GTX9-BS	8	151	88	106		2.8	0.4		D
GTX9-BS (無漏斗式)	8	151	88	106		2.8	0.4		D
GTZ10S-BS (無漏斗式)	8.6	151	88	94		2.6	0.4		D