
62203

OFFROAD STANDARD | Halogen headlight lamps for cars



Areas of application

- Headlight
- Forestry, agriculture and the construction industry for off-road area

Product benefits

- Rugged and versatile
- Excellent reliability and brightness even on the most difficult terrain

Product features

- Vibration resistant technology

Product datasheet

Technical data

Electrical data


Power input	103 / 80 W ¹⁾
Nominal voltage	12.0 V
Nominal wattage	100/80 W
Test voltage	13.2 V

¹⁾ Maximum

Photometrical data

Luminous flux	2900/1500 lm
Luminous flux tolerance	±10 / ±15 %

Dimensions & weight



Length	82.0 mm
Product weight	28.00 g

Lifespan

Lifespan B3	50 h
Lifespan Tc	90 / 200 h

Additional product data

Base (standard designation)	P43t
-----------------------------	------

Certificates & standards

ECE category	-
--------------	---

Country specific categorizations

Order reference	62203-01B 100/8
-----------------	-----------------

Product datasheet

Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4050300247960	OSRA62203	-	-	-

Product datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321185723	62203	Blister 1	135 mm x 57 mm x 95 mm	0.73 dm ³	36.60 g
4008321185730	62203	Shipping carton box 10	335 mm x 145 mm x 116 mm	5.63 dm ³	466.00 g
4050300247960	62203	Folding carton box 1	71 mm x 42 mm x 47 mm	0.14 dm ³	33.60 g
4050300247977	62203	Bundle 10	92 mm x 71 mm x 244 mm	1.59 dm ³	336.00 g
4050300247984	62203	Shipping carton box 100	485 mm x 160 mm x 250 mm	19.40 dm ³	3613.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Legal advice

Only for off-road use, not approved for use on public roads

No ECE approval

Illegal use leads to cancellation of vehicle operating licence and loss of insurance cover

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.