

ま え が き

このパーツカタログは、《スズキ GSX-R125 ABS》GSX-R125RLWM0 型の補給取扱い部品を収録してあります。

実施号機

GSX-R125RLWM0 : F. No. DL33B-104586～

パーツカタログのご使用について


1. カラーラベル

色物部品を索引する場合は、カラーラベルを参照の上
該当部品をお選びください。

カラーラベル




FIG.124A




OSKATZPERMANENT_MOL_124A
GRANDCHASSE

FIG.126A




OSKATZPERMANENT_MOL_126A
GRANDCHASSE

FIG.127A




OSKATZPERMANENT_MOL_127A
GRANDCHASSE

FIG.140A




OSKATZPERMANENT_MOL_140A
PROTECTOR

FIG.155A




OSKATZPERMANENT_MOL_155A
ARFCLERKER

FIG.163A




OSKATZPERMANENT_MOL_163A
BUFFLER

FIG.170A




OSKATZPERMANENT_MOL_170A
DE PUMP

FIG.172A




OSKATZPERMANENT_MOL_172A
FUEL PUMP

FIG.180A




OSKATZPUMPA_MOL_1634
WASSERPUMP

FIG.185A




OSKATZPUMPA_MOL_1634
FENSTER

FIG.187A




OSKATZPUMPA_MOL_1634
FENSTERHÖHE

FIG.189A




OSKATZPUMPA_MOL_1634
STÜBEN

FIG.201A




OSKATZPUMPA_MOL_1014
KUPPLUNG

FIG.206A




OSKATZPUMPA_MOL_1034
TRANSMISSION

FIG.212A




OSKATZPUMPA_MOL_1034
GEAR SHIFTER

FIG.301A




OSKATZPUMPA_MOL_1014
STARTING MOTOR

FIG.303A




OSKYA12EPRM02_M01_333A
HEADLIGHT

FIG.310A




OSKYA12EPRM02_M01_310A
ELECTRICAL

FIG.312A




OSKYA12EPRM02_M01_312A
ELECTRICAL

FIG.330A




OSKYA12EPRM02_M01_330A
SPEEDOMETER

FIG.333A




OSKYA12EPRM02_M01_333A
HEADLIGHT

FIG.334A




OSKYA12EPRM02_M01_334A
TAIL/REAR LAMP

FIG.339A




OSKYA12EPRM02_M01_339A
REAR/COMBINATION LAMP

FIG.350A




OSKYA12EPRM02_M01_350A
HORN/HORNLESS

FIG.352A




OSKATZPERMAL_M01_S5H
LOCK KEY

FIG.355A




OSKATZPERMAL_M01_S5H
HANDLE/CONTROL

FIG.401A




OSKATZPERMAL_M01_401A
FRAME

FIG.407A




OSKATZPERMAL_M01_407A
SSH10

FIG.415A




OSKATZPERMAL_M01_415A
FUEL TANK

FIG.420A




OSKATZPERMAL_M01_420A
FUEL TANK

FIG.423A




OSKATZPERMAL_M01_423A
FUEL TANK COVER

FIG.427A




OSKATZPERMAL_M01_427A
FUEL SYSTEM

FIG.445A




OSKYA2EPRUMAL_MDL_4654
FRONT FAIRING

FIG.460A




OSKYA2EPRUMAL_MDL_4654
FRONT FAIRING

FIG.462A




OSKYA2EPRUMAL_MDL_4654
FRONT FAIRING

FIG.467A




OSKYA2EPRUMAL_MDL_4654
FRONT FAIRING

FIG.474A




OSKYA2EPRUMAL_MDL_4744
REAR FAIRING

FIG.481A




OSKYA2EPRUMAL_MDL_4814
COMBING BODY

FIG.485A




OSKYA2EPRUMAL_MDL_4854
SIDE COVERING

FIG.496A




OSKYA2EPRUMAL_MDL_4964
LABEL

FIG.541A




OSY-PC-PRM-MOL_541A
REAR SHOCK ABSORBER

FIG.543A




OSY-PC-PRM-MOL_543A
REAR SHOCK ABSORBER

FIG.550A




OSY-PC-PRM-MOL_550A
REAR WHEEL

FIG.555A




OSY-PC-PRM-MOL_555A
REAR WHEEL

FIG.558A



OSY-PC-PRM-MOL_558A
REAR MASTER CYLINDER

FIG.970A



OSY-PC-PRM-MOL_970A
OPTIONAL

FIG.101A




FIG. 101A (1-B-2) ガスケットセット

見出番号	品番	品名	使用個数	備考	標準作業時間
1	11401-12831	ガスケットセット	1	OP	
2	11141-12K01	. ガスケット, シリンダーヘッド	1	オフション, イラストヒョウシナシ	
3	11173-12K00	. ガスケット, シリンダーヘッドカバー-NO. 1	1	オフション, イラストヒョウシナシ	
4	11178-12K00	. ガスケット, シリンダーヘッドカバー-NO. 2	1	オフション, イラストヒョウシナシ	
5	11241-12K00	. ガスケット, シリンダー	1	オフション, イラストヒョウシナシ	
6	11482-12K00	. ガスケット, クラッチカバー	1	オフション, イラストヒョウシナシ	
7	11483-12K00	. ガスケット, マクネットカバー	1	オフション, イラストヒョウシナシ	
8	12837-12K00	. ガスケット, テンションアジャスター	1	オフション, イラストヒョウシナシ	
9	14181-47E20	. ガスケット, エキゾーストパイプ	1	オフション, イラストヒョウシナシ	

FIG.102A




FIG. 102A (1-B-3) シリンダヘッドカバー

見出番号	品番	品名	使用個数	備考	標準作業時間
1	11171-23K00	カバー, シリンダヘッド	1		
2	11173-12K00	ガスケット, シリンダヘッドカバー-NO. 1	1		
3	11178-12K00	ガスケット, シリンダヘッドカバー-NO. 2	1		
4	09106-07025	ボルト, シリンダヘッドカバー (7X12)	2		
5	11191-27E70	ワッシャ, ヘッドカバーボルト (10. 6X25. 5X1. 6)	2		



FIG. 103A (1-B-4) シリンダ°ヘツト°


GSX-R125RLWMO_N00

FIG.107A




FIG. 107A (1-B-5) シリンダ*

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	11211-23KA0-0F0	シリンダ*	1		3.3
2	01421-0620A	ボルト, スタッド*	2		
3	08316-1006A	ナット	2		
4	11241-12K00	ガスケット, シリンダ*	1		3.3
5	04211-11129	ピン	2		
6	13650-49X00	センサ, テンパ レチャ	1		0.3
7	09168-12017	ガスケット (12X17X1)	1		



FIG.108A




FIG. 108A (1-B-6) クランクケース

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1	11300-23K10	クランクケースアツシ	1		6.9
2	01547-0640A	.ボルト	14		
3	01547-0675A	.ボルト	3		
4	09206-10014	.ピン (6.4X10X20)	2		
5	01500-1016A	ボルト	1	オイルドレン	
6	09168-10L02	ガスケット, オイルドレン (NA)	1		
7	11313-25G00	ジエツト	1		6.9
8	09103-10723	ボルト (L:140)	2		
9	08319-3110A	ナツト	2		

FIG.112A




FIG. 112A (1-B-7) クランクケースカバー

見出番号	品番	品名	使用個数	備考	標準作業時間
1	11340-12K30	カバー, クラッチ	1		1.2
2	11971-45010	. レンズ, オイルレベ ルチエツク	1		
3	11482-12K00	ガ スケット, クラッチカバー	1		1.2
4	09206-08008	ビ ン (6. 3X8X12)	2		
5	01547-0630A	ボ ルト	10		
6	09168-06018	ガ スケット (6. 2X13X1. 2)	1		
7	01547-0612A	ボ ルト	1		
8	11342-25G00	ブ ラグ, エンジンオイルワイ	1		
9	09280-17003	リング (D: 3. 1, ID: 16. 8)	1		
10	09168-10L02	ガ スケット, オイルド レン (NA)	1		
11	01500-1016A	ボ ルト	1		
12	11351-12K20	カバー, マグ ネット	1		1.4
13	11483-12K00	ガ スケット, マグ ネットカバー	1		1.4
14	01547-0640A	ボ ルト	10		
15	09259-36016-20H	ブ ラグ (36X10, シルバ ー)	1		
16	09280-33004	リング (D: 3. 1, ID: 32. 7)	1		
17	11352-22J00	ブ ラグ, トツブ	1		
18	09280-14003	リング (D: 2. 4, ID: 13. 8)	1		
19	09206-08008	ビ ン (6. 3X8X12)	2		
20	11360-12K00	カバー, エンジンスプ ロケット	1		0.2
21	01547-0630A	ボ ルト	2		
22	09206-08008	ビ ン (6. 3X8X12)	2		

FIG.120A




FIG. 120A (1-B-8) クランクシャフト

見出番号	品番	品名	使用個数	備考	標準作業時間
1	12200-12K50	クランクシャフトアツツ	1		5.7
2	12661-12K00	ギヤ, クランクハ ランサド ライフ (NT:44)	1		
3-1	12228-12K00-0A0	シム (T:0.6)	1		
3-2	12228-12K00-0B0	シム (T:0.65)	1		
3-3	12228-12K00-0C0	シム (T:0.7)	1		
3-4	12228-12K00-0D0	シム (T:0.75)	1		
3-5	12228-12K00-0E0	シム (T:0.8)	1		
3-6	12228-12K00-0F0	シム (T:0.85)	1		
3-7	12228-12K00-0G0	シム (T:0.9)	1		
3-8	12228-12K00-0H0	シム (T:0.95)	1		
3-9	12228-12K00-0J0	シム (T:1.0)	1		
3-10	12228-12K00-0K0	シム (T:1.05)	1		
3-11	12228-12K00-0L0	シム (T:1.1)	1		
3-12	12228-12K00-0M0	シム (T:1.15)	1		
3-13	12228-12K00-0N0	シム (T:1.2)	1		
3-14	12228-12K00-0P0	シム (T:1.25)	1		
3-15	12228-12K00-0R0	シム (T:1.3)	1		
3-16	12228-12K00-0S0	シム (T:1.35)	1		
3-17	12228-12K00-0T0	シム (T:1.4)	1		
4	09262-28058	ベアリング (28X68X17)	1	ライト	5.4
5	09262-35103	ベアリング (35X72X17)	1	レフト	5.7
6	09282-12L01	シール, オイル (12X21X7)	1		5.6
7	16321-12K00	ギヤ, オイルポンプ ドライブ (NT:15)	1		1.8
8	12111-12K50-0F0	ピストン	1		3.5
9	12140-12K00	リング セット, ピストン	1		3.5
10	12151-12K00	ピン, ピストン	1		3.5
11	09381-15001	サーキット	2		0.6
12-1	21111-12K00-0A0	ギヤ, プライマリッド ライフ (NT:21)	1	グリーン, NT:21	1.8
12-2	21111-12K00-0B0	ギヤ, プライマリッド ライフ (NT:21)	1	ピンク, NT:21	1.8
13	09140-16019	ナット	1		
14	09421-04011	キー	1		
15	08211-16251	ワッシャ	1		
16	09164-16005	ワッシャ	1		

FIG.122A

FIG. 122A (1-B-9) スタータクラッチ

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	12611-12K00	ギヤ,スタータアイドル (NT:15/53)	1		1.3
2	12600-12821	クラッチセット,スタータ (NT:63)	1		1.4
3	09180-13012	スベ-サ (13X19X6)	1		
4	09206-13007	ピン (7.4X13X40)	1		
5	09263-22075	ベ-アリング (22X29X16.8)	1		
6	07130-0616A	ボ-ルト	3		




FIG.124A




FIG. 124A (1-B-10) クランクバランサ

見出番号	品番	品名	使用個数	備考	標準作業時間
1	12651-12K51	バランサ, クランク	1		5.7
2	12662-12K00	ワッシャ, クランクバランサトリフンギヤNO. 1	1		
3	12662-34J10	ワッシャ, クランクバランサトリフンギヤNO. 2	1		
4	12663-47E50	スプリング, クランクバランサギヤ (U20EPR9)	2		
5	12666-12K10	ギヤ, クランクバランサトリフン (NT:44)	1		5.7
6	12669-12K10	レース, クランクバランサトリフンギヤインナ	1		
7	12686-25G20	ダンパ, クランクバランサギヤ	2		
8	08331-31359	サークリップ (NT:12)	2		
9	12668-34J00	スベーサ, トリフンギヤ (NT:19)	1		
10	09140-14022	ナット (NT:24)	1		
11	09262-15054	ベアリング (15X42X13)	1	ライト	5.4
12	09262-15055	ベアリング (15X35X11)	1	レフト	5.4
13	09421-04011	キー	1		
14	08211-14242	ワッシャ (NT:24)	1		
15	09202-05035	ピン	2		



GSX-R125RLWM0_N00_126A
CAMSHAFT/VALVE



GSX-R125RLWMO_N00

見出番号	品番	品名	使用個数	備考	標準作業時間
1	12710-12K20	カムシャフト, インテーク	1		1.2
2	12741-12K00	スプロケット, カムシャフト (NT:34)	1		1.2
3	09103-05025	ホルト	2		
4	12702-12K20	カムシャフト, エキゾースト	1		1.2
5	12741-12K00	スプロケット, カムシャフト (NT:34)	1		1.2
6	09103-05025	ホルト	2		
7	12891-25G10	タペット	4		
8	12911-12K00	バルブ, インテーク	2		3.9
9	12912-12K00	バルブ, エキゾースト	2		3.9
10	12921-12K00	スプリング, バルブ	4		3.9
11	12931-25G20	リテーナ, バルブスプリング	4		3.9
12-1	12932-32C00	コック, バルブ	8		3.9
12-2	12932-32C10	コック, バルブ	8		3.9
13	12933-12K00	シート, バルブスプリング	4		3.9
14	09289-04002	シール, オイル (4.5X10X8)	4		3.9
15-1	12892-05C00-120	シム, タペット (T:1.20)	4		
15-2	12892-05C00-125	シム, タペット (T:1.25)	4		
15-3	12892-05C00-130	シム, タペット (T:1.30)	4		
15-4	12892-05C00-135	シム, タペット (T:1.35)	4		
15-5	12892-05C00-140	シム, タペット (T:1.40)	4		
15-6	12892-05C00-145	シム, タペット (T:1.45)	4		
15-7	12892-05C00-150	シム, タペット (T:1.50)	4		
15-8	12892-05C00-155	シム, タペット (T:1.55)	4		
15-9	12892-05C00-160	シム, タペット (T:1.60)	4		
15-10	12892-05C00-165	シム, タペット (T:1.65)	4		
15-11	12892-05C00-170	シム, タペット (T:1.70)	4		
15-12	12892-05C00-175	シム, タペット (T:1.75)	4		
15-13	12892-05C00-180	シム, タペット (T:1.80)	4		
15-14	12892-05C00-185	シム, タペット (T:1.85)	4		
15-15	12892-05C00-190	シム, タペット (T:1.90)	4		
15-16	12892-05C00-195	シム, タペット (T:1.95)	4		
15-17	12892-05C00-200	シム, タペット (T:2.00)	4		
15-18	12892-05C00-205	シム, タペット (T:2.05)	4		
15-19	12892-05C00-210	シム, タペット (T:2.10)	4		
15-20	12892-05C00-215	シム, タペット (T:2.15)	4		

FIG.126A




FIG. 126A (1-B-12) カムシャフト/ハーフ

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
15-21	12892-05C00-220	シム, タペット (T:2.20)	4		
16	12800-05830	シムセット, タペット (5PCS. EACH)	1	オプション, イラストは右ナシ	
17	99000-69491	ケース, タペットシム	1	オプション, イラストは右ナシ	

FIG.127A




FIG. 127A (1-B-13) カムチェーン

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	12760-12K00	チェーン, カムシャフト" ライフ"	1		5.0
2	12771-12K00	ガイド, カムチェーンNO. 1	1		3.0
3	12782-12K01	ガイド, カムチェーンNO. 2	1		1.0
4	12811-12K00	テンション, カムチェーン	1		5.0
5	12812-35C00	ホルト, カムチェーンテンション	1		
6	08211-06181	ワッシャ	1		
7	12830-12K00	アジャスタアツシ, テンション	1		0.8
8	12837-12K00	ガイドスケット, テンションアジャスタ	1		0.8
9	01547-0620A	ホルト	2		
10	12836-12K01	ホルト, アジャスタスプリング	1		



FIG.140A





FIG. 140A (1-B-14) スロットルホデー

見出番号	品番	品名	使用個数	備考	標準作業時間
1	13400-23K00	ホデーアツシ, スロットル	1		1.5
2	18117-09JA0	.ステツビシツクモータ	1		1.6
3	13438-09JA0	. . . リンク	1		
4	13417-09JA0	.コンプレツシヨンスフリンク	1		
5	13421-42J00	.フレート	1		
6	13602-06128	.スクリユ	1		
7	15710-12KA0	インジエクタアツシ, フューエル	1		0.9
8	15716-42J00	. . . リンク	1		
9	15719-12K00	カバ, フューエルインジエクタ	1		
10	15722-42J00	シール	1		
11	15830-23K00	ジヨイント, フューエルホース	1		
12	01547-0625A	ホルト	1		

FIG.155A



GSX-R125RLWMO_000_155A
AIR CLEANER

FIG. 155A (1-B-15) エアクリーナ

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	13700-23K00	クリーンアップ, エア	1		1.5
2	13741-23K00	. キャップ, エアクリーナ	1		0.3
3	13746-23K00	. ガ スケツト	1		
4	13761-23K00	. レゾ ネータ	1		
5	13780-23K00	. フィルタアツシ	1		0.3
6	13821-12K00	. クリツフ	2		
7	13822-12K00	. クリツフ	1		
8	13853-23K00	. チューブ, フ リーザ	1		
9	13878-12K00	. フ ラカ, ト レーン	2		
10	13881-23K00	. チューブ, アウトレット	1		
11	13891-23K00	. チューブ, インレット	1		0.3
12	09401-11101	. クリツフ	2		
13	09402-44208	. クランプ	1		
14	13747-23K00	. ガ スケツト, キャップ フィルタ	1		
15	13911-23K01	. フ ラケツト, リレー	1		
16	03541-0520B	. スクリュ	10		
17	03541-0512A	. スクリュ	1		
18	13841-23K00	シート, エアクリーナインレット	1		
19	01550-0612A	ボ ルト	3		

GSX-R125RLWMO_000

FIG.163A




FIG. 163A (1-B-16) マフ

見出番号	品番	品名	使用個数	備考	標準作業時間
1	14181-47E20	ガスケット,エキゾーストパイプ	1		0.4
2	14310-23K20	ホース,マフ	1		0.5
3	14780-23K00	カバー,マフ	1		0.2
4	14783-23K00	シールド,マフラカバーフロント	1		
5	14784-23K00	シールド,マフラカバーリヤ	1		0.2
6	14795-10FA0	クローメット	1		
7	09139-06027	スクリュー (6X12)	1		
8	09160-06028	ワッシャー (6.5X18X1.0)	1		
9	09180-06343	スペーサー	1		
10	09320-08082	クッション	1		
11	09160-08134	ワッシャー (8.5X26X1.6)	1		
12	09180-08151	スペーサー (8.6X12X17.5)	1		
13	09320-12032	クッション	1		
14	01550-0835A	ホルト	1		
15	08319-3108A	ナット	1		
16	01550-0825A	ホルト	2		
17	14760-23K00	ステー,マフラリヤカバー	1		0.2
18	14790-23K01	カバー,マフラリヤ	1		0.2
19	09169-06057	ワッシャー	3		
20	09320-08082	クッション	3		
21	01550-0612B	ホルト	3		
22	07130-0616A	ホルト	2		
23	18213-12K00	センサ,オキシゲン	1		0.2
24	36990-25G00	クランプ (L:95)	1		

FIG.170A




FIG. 170A (1-C-2) オイルポンプ

見出番号	品番	品名	使用個数	備考	標準作業時間
1	16400-12K00	ポンプアツシ, エンジンオイル	1		1.4
2	16331-12K00	ギヤ, オイルポンプドライブ (NT:30)	1		0.9
3	09261-02001	ピン (2.5X19.8)	1		
4	09280-08022	Oリング (D:2.4, ID:7.8)	1		0.3
5	08332-1106A	Eリング	1		
6	01547-0630A	ボルト	3		
7	09206-08008	ピン (6.3X8X12)	3		
8	16520-45H00	ストレーナ, エンジンオイル	1		1.2
9	16510-45H10	フィルタ, エンジンオイル	1		0.3
10	09280-54001	Oリング (D:2.4, ID:52.6)	1		0.3
11	16512-22J30	キャップ, オイルフィルタ	1		0.3
12	09280-13010	Oリング (D:1.9, ID:12.5)	1		0.3
13	16519-09J00	スプリング, オイルフィルタ	1		
14	01547-0620A	ボルト	2		

FIG.172A




FIG. 172A (1-C-3) フューエルポンプ

見出番号	品番	品名	使用個数	備考	標準作業時間
1	15100-23K00	ポンプ アグシ, フューエル	1		0.8
2	15420-34JB0	. フィルタ	1		0.9
3	15424-09JB0	. Oリング	2		0.8
4	15120-23K00	プレート, フューエルポンプ	1		
5	15201-23K10	Oリング, フューエルポンプ	1		0.8
6	15810-23K00	ホース, フューエル	1		0.7
7	01547-0610A	ボルト	5		
8	34810-23K00	ゲージ アグシ, フューエルレベルセンタ	1		0.8

FIG.180A




FIG. 180A (1-C-4) ウォータポンプ

見出番号	品番	品名	使用個数	備考	標準作業時間
1	16331-12K00	ギヤ、オイルポンプドリフン (NT:30)	1		0.9
2	17410-12K20	ケース、ウォーターポンプ	1		1.0
3	17431-12K10	Oリング、ウォーターポンプケース	1		
4	17461-12K00	シール、ウォーターポンプシャフトオイル	1		1.2
5	17510-12K01	シャフト、ウォーターポンプ	1		
6	09168-06018	ガスケット (6.2X13X1.2)	1		
7	09261-02001	ピン (2.5X19.8)	1		
8	01547-0620A	ボルト	3		
9	01547-0675A	ボルト	2		
10	08113-06080	ベアリング	2		
11	08332-1106A	Eリング	2		



FIG.185A

FIG. 185A (1-C-5) ラジエータ

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	17710-23K00	ラジエータアツシ, ウォータ	1		0.7
2	17800-12K00	ファンアツシ	1		0.7
3	17802-12K00	ナツト	2		
4	01550-0616A	ボルト	2		
5	17730-14G00	キャツプ, ラジエータ (1.1)	1		0.3
6	17751-12K00	ブラケツト, ラジエータロア	1		
7	17781-12J00	クヅシヨソ	1		
8	09116-06111	ボルト (6X20)	2		
9	09180-06310	スぺーサ (6.5X10X10)	2		
10	09320-10501	クヅシヨソ (10X20X10)	2		
11	01550-0610A	ボルト	1		




FIG.187A




FIG. 187A (1-C-6) ラジエーターホース

見出番号	品番	品名	使用個数	備考	標準作業時間
1	17670-12K20	サーモスタット, ウォータ	1		0.3
2	17661-12K01	カバー, サーモスタット	1		0.3
3	01547-0620A	ホルト	2		
4	17851-23K00	ホース, ラジエーターインレット	1		0.5
5	17852-12K10	ホース, ラジエーターアウトレット	1		0.4
6	17856-12K00	ホース, ウォータパンプイハス	1		
7	09401-10417	クリップ	2		
8	09401-20414	クリップ	2		
9	09402-27002	クランプ	2		
10	17910-23K00	タンクアツツ, リザーバ	1		0.5
11	17931-31J10	キャップ, ウォータリザーバタンク	1		
12	17920-23K10	ブラケット, リザーバタンク	1		
13	17981-23K10	ホース, リザーバタンクインレット	1		
14	09111-06063	ホルト (6X12)	2		
15	09352-50007-280	ホース, リザーバタンクオーバーフロー	1		
16	09401-08402	クリップ (ID:8)	2		
17	01547-0612A	ホルト	2		

FIG.189A

FIG. 189A (1-C-7) セカントエア

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	18450-06G10	ハ ルフ アツシ, セカント エアリード	1		0.3
2	18461-23K00	ホース, セカント エアハ ルフ	1		
3	18510-48H10	ハ ルフ アツシ, エアカツト	1		0.3
4	18531-09J00	カバ ー, セカント エアリード ハ ルフ	1		0.3
5	18610-23K00	ブ ラケツト, セカント エアハ ルフ	1		
6	18711-23K00	ホース, セカント エアクリーナ	1		0.2
7	36990-25G20	クランプ (L:165)	1		
8	09401-15101	クリツプ (ID:15.5)	2		
9	09401-17L01	クリツプ, セカント エアハ ルフ ホースNO.1	2		
10	01547-0616A	ホ ルト	2		
11	01550-0612A	ホ ルト	1		




FIG.201A




FIG. 201A (1-C-8) クラッチ

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	21251-12K02	スベ-サ, フ-ライマリト-リフ-ンギ-ヤ	1		
2-1	21200-12K00-0A0	ギ-ヤアツシ, フ-ライマリト-リフ-ン (NT:69)	1	グ-リ-ン, NT:69	1.6
2-2	21200-12K00-0B0	ギ-ヤアツシ, フ-ライマリト-リフ-ン (NT:69)	1	ビ-ンク, NT:69	1.6
3	21411-05241	ハフ-, クラツチスリ-フ	1		1.6
4	21441-25G10	プ-レート, クラツチド-ライフ- (T:3.0)	5		1.6
5	21451-28040	プ-レート, クラツチド-リフ-ン (T:1.6)	4		1.6
6	21462-23K00	デ-イスク, クラツチフ-レツシヤ	1		1.6
7	09116-05147	ホ-ルト (5X16)	5		
8	09440-15042	スフ-リンク	5		
9	21414-12K00	ナツト	1		
10	09169-16009	ワツシヤ	1		
11	08211-20352	ワツシヤ	2		
12	23165-28G60	ラツク, クラツチレリ-ス	1		
13	23261-12K00	ビ-ニオン, レリ-ス	1		1.2
14	23271-47E20	ア-ム, クラツチレリ-ス	1		0.3
15	09160-12086	ワツシヤ (12.5X17X1)	1		
16	08110-62000	ベ-アリング	1		
17	09285-10008	シ-ル (10X17X5)	1		
18	01500-0616B	ホ-ルト	1		
19	08331-41309	サ-クリツフ	1		

FIG.206A




FIG. 206A (1-C-9) トランスミツション

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	24121-12K10	シャフト, カウンタ (NT:13)	1		5.6
2	24221-12K10	ギヤ, セカントﾞドライブ (NT:15)	1		5.6
3	24231-12K10	ギヤ, サード / フォーストﾞドライブ (NT:21/23)	1		5.6
4	24251-12K10	ギヤ, ファイフストﾞドライブ (NT:22)	1		5.6
5	24261-12K10	ギヤ, シツクストﾞドライブ (NT:27)	1		5.6
6	09380-20019	サークルワッ	1		
7	09262-20069	ベアリング (20X47X14)	1	ライト	5.6
8	08120-60027	ベアリング	1	レフト	
9	24130-12820	シャフト, ドライブ	1		5.6
10	24311-12K10	ギヤ, ファーストﾞリブ (NT:38)	1		5.6
11	24312-12K00	ブッシュ, ファーストﾞリブギヤ	1		5.6
12	24321-12K10	ギヤ, セカントﾞリブ (NT:29)	1		5.6
13	24322-12K00	ブッシュ, セカントﾞリブギヤ	1		5.6
14	24323-12K00	ワッシャ, セカントﾞリブギヤレフト	1		
15	24331-12K10	ギヤ, サードﾞリブ (NT:31)	1		5.6
16	24341-12K10	ギヤ, フォーストﾞリブ (NT:28)	1		5.6
17	24351-12K10	ギヤ, ファイフストﾞリブ (NT:23)	1		5.6
18	24361-12K10	ギヤ, シツクストﾞリブ (NT:25)	1		5.6
19	09380-20019	サークルワッ	1		
20	08211-15251	ワッシャ	1		
21	08211-16251	ワッシャ	1		
22	08211-20241	ワッシャ	1		
23	08211-20241	ワッシャ	1		
24	09181-20139	シム (20X26X1)	1		
25	24399-12K00	シール, ドライブシャフトオイル	1		
26	09262-15031	ベアリング (15X35X11)	1		5.6
27	08120-62040	ベアリング	1		
28	24741-20A10	リテーナ, シフトカムライトベアリング	1		
29	02112-0612A	スクリュ	1		
30	24751-05210	リテーナ, ドライブシャフトオイルシール	1		
31	01500-0610A	ホルト	2		
32	27511-25G10	スプロケット, エンジン (NT:14)	1		0.4
33	27512-25G00	プレート, エンジンスプロケット	1		
34	27610-12K00-122	チェーンアツシ, ドライブ (122L, クリーン)	1		
35	27620-12K00	ジョイントリンク (RK)	1		

FIG.206A




FIG. 206A (1-C-10) トランスミッション

見出番号	品番	品名	使用個数	備考	標準 作業時間
36	07130-0610A	ホルト	2		

FIG.212A




FIG. 212A (1-C-11) ギヤシフトリンク

見出番号	品番	品名	使用個数	備考	標準作業時間
1	25211-12K00	フォーク, ギヤシフトNO. 1	2		5. 6
2	25231-12K00	フォーク, ギヤシフトNO. 3	1		5. 6
3	25411-25G10	シャフト, ギヤシフトフォークNO. 1	1		5. 6
4	25421-25G10	シャフト, ギヤシフトフォークNO. 2	1		5. 6
5	24741-20A10	リテーナ, シフトカムライトベアリング	1		
6	25311-12K00	カム, ギヤシフト	1		5. 6
7	25312-12K00	スベ-サ, ギヤシフトカムベアリング	1		
8	25381-12K00	プレート, ギヤシフトカム	1		
9	09261-03002	ピン (3X9. 8)	2		
10	02112-0612A	スクリュ	1		
11	07130-0620A	ボルト	1		
12	08113-69050	ベアリング	1		5. 6
13	25350-26D01	ストツバ, ギヤシフトカム	1		
14	25355-12K00	スプリング, ギヤシフトカムストツバ	1		
15	25357-22J00	ボルト, シフトカムストツバ	1		
16	08211-06121	ワッシャ	1		
17	25510-12K11	シャフト, ギヤシフト	1		1. 2
18	25512-12K01	プレート, ギヤシフトカムドライブ	1		
19	25518-12K00	スプリング, シフトシャフトリターン	1		
20	25519-25G00	ワッシャ, ギヤシフトシャフトライト (14X22X1)	2		
21	25671-22J10	ストツバ, ギヤシフト	1		
22	09283-14014	シール (14X22X6)	1		1. 2
23	09440-17013	スプリング	1		
24	08331-3114A	サークルワッ	2		
25	25520-23K10	アーム, ギヤシフトリンク	1		
26	25526-47000	. カハ-, ダスト	1		
27	25525-23K10	ロッド, ギヤシフトリンク	1		
28	25600-23K70	レバ-アツシ, ギヤシフトリンク	1		0. 2
29	25526-47000	. カハ-, ダスト	1		
30	25652-16H10	. ラバ-, ギヤシフト	1		
31	08310-0006A	ナット	1		
32	09140-06025	ナット	1		
33	01500-0620A	ボルト	1		
34	09160-18043	ワッシャ (18X24X1)	1		

FIG.212A




FIG. 212A (1-C-12) ギヤシフトインク

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
35	37720-12K11	ベースアツシ、ギヤシフトターミナル	1		0.4
36	37722-25G00	Oリング、ギヤシフトスイツチ (D:2.4, ID:26.2)	1		
37	09209-05011	ピン (5X15.5)	2		
38	36990-25G20	クランプ (L:165)	1		
39	09407-17403	クランプ (L:154)	2		
40	09440-04010	スワリンク	2		
41	07130-0520A	ホルト	2		
42	09404-06429	クランプ (L:45)	1		

This exploded view diagram illustrates the assembly of a door lock. The components are numbered as follows:

- 1**: Main lock body assembly.
- 2**: Lock cylinder plug.
- 3**: Lock cylinder housing.
- 4**: Lock cylinder plug.
- 5**: Lock cylinder plug.
- 6**: Lock cylinder plug.
- 7**: Lock cylinder plug.
- 8**: Lock cylinder plug.
- 9**: Lock cylinder plug.
- 10**: Lock cylinder plug.
- 11**: Lock cylinder plug.
- 12**: Lock cylinder plug.
- 13**: Lock cylinder plug.
- 14**: Lock cylinder plug.

The diagram shows the lock body (1) with the cylinder plug (2) inserted. The cylinder housing (3) is shown with the plug (4) inserted. The plug (5) is shown with the plug (6) inserted. The plug (7) is shown with the plug (8) inserted. The plug (9) is shown with the plug (10) inserted. The plug (11) is shown with the plug (12) inserted. The plug (13) is shown with the plug (14) inserted.

見出番号	品番	品名	使用個数	備考	標準作業時間
1	31100-12K01	モータツシ、スターテイング*	1		0.3
2	31130-12K00	.ﾌﾞﾗﾝﾀｰミナルセット	1		0.6
3	31132-12K00	.ﾌﾞﾗﾝホルﾀﾞｰセット	2		0.6
4	31133-12K00	.ホルﾀﾞｰ、ﾌﾞﾗﾝシ	1		
5	31134-12K00	.スクリュ	2		
6	31135-05530	.ｽﾌﾟﾘﾝｸﾞ	4		
7	31156-12K00	.オリﾝｸﾞ	2		
8	31170-12K00	.ワツシヤセット	1		
9	31264-05530	.オリﾝｸﾞ	2		
10	31281-12K00	.ﾎｰﾙﾄ	2		
11	08310-12K00	.ﾅｯﾄ	1		
12	09280-12K00	.オリﾝｸﾞ	1		
13	01547-0625A	.ﾎｰﾙﾄ	2		
14	08361-3506A	.ﾅｯﾄ	1		

FIG.303A

FIG. 303A (1-C-14) マグネト

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	32101-12K11	ステータツシ、マグネト	1		1.4
2	32102-12K10	ロータツシ、マグネト	1		1.4
3	32371-12K00	クランプ、マグネトリッド	1		
4	32371-16H00	クランプ、マグネトリッド	1		
5	09159-14037	ナツト	1		
6	09420-03008	キー	1		
7	07130-0512A	ホルト	2		
8	07130-0512A	ホルト	1		
9	07130-0535A	ホルト	3		




FIG.310A




FIG. 310A (1-C-15) ハ⁺ ッテリ

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	33630-13E10	ハ ⁺ ッテリ (FTZ5L-BS, 12V4. 5AH)	1	FTZ5L-BS\$12V, 4. 5A H	0. 3
2	33652-38000	ブ ⁺ ロテカタ, ハ ⁺ ッテリ (40X30X3. 0)	5		
3	33810-23K00	ワイヤ, スタータモータ	1		0. 4
4	31861-48B10	. キヤツフ ⁺ , スタータモータリット	1		
5	33820-23K10	ワイヤ, ハ ⁺ ッテリラフラス	1		0. 3
6	33624-23K00	. キヤツフ ⁺	1		
7	09407-14407	クランプ ⁺ (L:145)	1		

FIG.312A




FIG. 312A (1-C-16) エレクトリカル

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1	32800-23K00	レクチファイアツシ	1		0.5
2	32832-23K00	ブレード、レクチファイア	1		
3	09111-06054	ホルト (6X14.6)	1		
4	09180-06325	スベーク (6.2X8.4X6.9)	1		
5	01550-0625A	ホルト	1		
6	01550-0635A	ホルト	1		
7	09160-06028	ワッシャ (6.5X18X1.0)	2		
8	09180-06375	スベーク	2		
9	09320-08507	クッション	2		
10	32920-23K71	コントロールユニット, FI	1		0.2
11	32942-23K00	プロテクタ, FIコントロールユニット	1		
12	33960-27G00	センサアツシ, フューエルカット	1		0.7
13	33410-40J10	コイルアツシ, イグニッション	1		0.3
14	01547-0620A	ホルト	2		
15	33510-25G00	キャップ, スパークプラグ	1		
16	33541-25G00	シール, スパークプラグ	1		
17	33542-25G10	シール, ハイテンションコード	1		
18	31800-33G21	リレーアツシ, スターティングモータ	1		0.3
19	31861-47E00	カバー	1		
20	09481-20102	フューズ (20A)	2		
21	09128-06013	スクリュ (6X8)	2		

FIG.330A





FIG. 330A (1-D-2) スピードメータ

見出番号	品番	品名	使用個数	備考	標準作業時間
1	34100-12K00	スピードメータアツシ	1		0.3
2	34189-30H30	ワツシヨシ, スピードメータ	3		
3	09160-04026	ワツシヤ (4. 5X16X1. 2)	1		
4	03541-0416A	スクリユ	1		
5	34990-12K00	センサ, スピード	1		0.2
6	07130-0512B	ホルツ	1		

FIG.333A

FIG. 333A (1-D-3) ヘッドランプ

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1	35100-23K11	ヘッドランプ アッシー	1		0.5
2	44294-43H11	クッション, フェエルタンクカバー	4		
3	09136-05062	スクリュー (5X15)	3		
4	09148-05080	ナット	2		
5	09320-09016	クッション (9X18X9.5)	3		
6	03541-0516A	スクリュー	2		
7	94435-23K00	クッション, ヘッドランプ	2		



This exploded view diagram illustrates the assembly of a motorcycle headlight. The components are numbered as follows:

- 1**: Main headlight housing assembly.
- 2**: Lens gasket.
- 3**: Headlight lens.
- 4**: Lens mounting screw.
- 5**: Lens mounting cap.
- 6**: Lens mounting pin.
- 7**: Headlight mounting bracket.
- 8**: Mounting gasket.
- 9**: Mounting cap.
- 10**: Mounting pin.
- 11**: Mounting cap.
- 12**: Mounting pin.
- 13**: Mounting bracket.
- 14**: Mounting bracket.
- 15**: Mounting cap.
- 16**: Mounting cap.
- 17**: Mounting pin.
- 18**: Mounting cap.
- 19**: Mounting pin.
- 20**: Mounting bracket.
- 21**: Mounting cap.
- 22**: Mounting cap.
- 23**: Mounting pin.
- 24**: Mounting cap.
- 25**: Mounting pin.
- 26**: Mounting bracket.
- 27**: Mounting bracket.

The diagram shows the assembly process from the lens (3) through the mounting brackets (13, 14, 20, 26, 27) to the main housing (1). A 'FWD' logo is visible in the bottom left corner.

見出番号	品番	品名	使用個数	備考	標準作業時間
1	35601-34J62	ランプ アツシ、フロントターンシグ ナル、ライト	1		0.3
2	35613-34J00	. ガ スケツト	1		
3	35614-34J11	. ランプ ユニツト	1		
4	35623-34J30	. スクリュ	1		
5	09471-12226	. ハ ルフ (12V10W)	1	アンパ -	0.2
6	35623-34J40	. スクリュ	2		
7	35602-34J62	ランプ アツシ、フロントターンシグ ナル、レフト	1		0.3
8	35613-34J00	. ガ スケツト	1		
9	35634-34J11	. ランプ ユニツト	1		
10	35623-34J30	. スクリュ	1		
11	09471-12226	. ハ ルフ (12V10W)	1	アンパ -	0.2
12	35623-34J40	. スクリュ	2		
13	35629-34J10	ブ レート、リヤターンシグ ナル	2		
14	35603-34J62	ランプ アツシ、リヤターンシグ ナルライト	1		0.7
15	35613-34J00	. ガ スケツト	1		
16	35634-34J11	. ランプ ユニツト	1		
17	35623-34J30	. スクリュ	1		
18	09471-12226	. ハ ルフ (12V10W)	1	アンパ -	0.2
19	35623-34J40	. スクリュ	2		
20	35604-34J62	ランプ アツシ、リヤターンシグ ナルレフト	1		0.7
21	35613-34J00	. ガ スケツト	1		
22	35614-34J11	. ランプ ユニツト	1		
23	35623-34J30	. スクリュ	1		
24	09471-12226	. ハ ルフ (12V10W)	1	アンパ -	0.2
25	35623-34J40	. スクリュ	2		
26	35629-34J10	ブ レート、リヤターンシグ ナル	2		
27	38610-23K00	リレーアツシ、ターンシグ ナル	1		0.5

FIG.339A




FIG. 339A (1-D-5) リヤコンビネーションランプ

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	35710-23K00	ランフ アツシ, リヤコンビネーション	1		0.7
2	09471-12083	.ハ ルフ (12V21/5W)	1		0.2
3	35718-23K00	.コード アツシ	1		
4	35650-23K00	.チューフ プレス	1		
5	35693-23K00	ブ ロテカタチューフ	1		
6	35781-23K00	クツシヨシ, リヤコンビネーションランプ	1		
7	35781-23K10	クツシヨシ, リヤコンビネーションランプ	1		
8	35781-45H00	クツシヨシ, リヤコンビネーション ラケツト	1		
9	09160-05050	ワツシヤ (5.5X18X1)	3		
10	09320-09016	クツシヨシ (9X18X9.5)	2		
11	09407-11401	クランフ (L:95)	1		
12	03541-0516A	スクリュ	3		
13	35910-23K00	ランフ アツシ, ライセン	1		0.7
14	35913-23K00	.ラハ	1		
15	09160-05050	ワツシヤ (5.5X18X1)	2		
16	03541-0512A	スクリュ	2		
17	35970-28G00	リフレクタアツシ, リヤ	1		0.6
18	08316-1005A	ナツト	1		

FIG.350A




FIG. 350A (1-D-6) ワイヤリングハーネス

見出番号	品番	品名	使用個数	備考	標準作業時間
1	36601-23KE0	ハーネス, ワイヤリング	1		1.9
2	09481-10501	. フューズ (10A)	3		
3	09481-15501	. フューズ (15A)	1		
4	36620-23K10	ハーネス, ワイヤリング NO. 2	1		
5	09407-14403	クランプ (L:125)	1		
6	36990-25G20	クランプ (L:165)	1		
7	37740-12K10	スイッチアツシ, ストップ ランプ	1		0.6
8	43232-34J00	スプ リング, ストップ ランプ スイッチ	1		
9	38500-23K11	ホーンアツシ	1		0.2
10	01550-0612A	ホ ルト	1		
11	37840-06G01	スイッチアツシ, サイド スタンド	1		0.6
12	01550-0616A	ホ ルト	2		
13	38860-33J00	リレーアツシ, メイン	1	メイン	0.2
14	38860-33J00	リレーアツシ, メイン	1	ファンモータ	0.2
15	09407-17403	クランプ (L:154)	3		
16	09404-06429	クランプ (L:45)	1		
17	09407-14407	クランプ (L:145)	4		
18	36990-25G00	クランプ (L:95)	1		

FIG.352A




FIG. 352A (1-D-7) ロックセット

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	37101-23871	ロックセット	1		1.2
2	37100-23K81	. ロックアツシ, ステアリング	1		1.2
3	37152-17K00	ホ`ルト, ステアリング` ロック (8X20)	2		
4	37155-23830	シャツタセット	1		1.2
5	09407-17403	クランフ` (L:154)	1		
6	37146-23K80	キー, プ`ランク	1	オプ`ション	

FIG.355A




FIG. 355A (1-D-8) ハンド*ルスイッチ

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	37200-23K50	スイッチアツシ, ハンド* ルライト	1		1. 3
2	02112-0530B	. スクリュ	1		
3	02112-0550B	. スクリュ	1		
4	09407-14407	クランプ* (L: 145)	1		
5	37400-23K30	スイッチアツシ, ハンド* ルレフト	1		1. 1
6	02112-0525B	. スクリュ	1		
7	02112-0540B	. スクリュ	1		
8	09407-14407	クランプ* (L: 145)	1		
9	36990-25G20	クランプ* (L: 165)	1		

FIG.401A

FIG. 401A (1-D-9) フレーム

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	41100-23KE0	フレーム	1		6.4
2	35781-23K10	クッション, リヤコンビ ネーションランプ	1		




FIG.407A





FIG. 407A (1-D-10) スタンド*

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	42310-23K10	スタンド*, フ* ロツフ*	1		0. 2
2	42421-12J01	スフ* リング*, フ* ロツフ* スタンド* イナ	1		
3	42422-12J01	スフ* リング*, フ* ロツフ* スタンド* アウタ	1		
4	42341-40J00	ホ* ルト, フ* ロツフ* スタンド*	1		
5	08319-3110A	ナツト	1		
6	43110-23K00	ベ* タ* ル, フ* レーキ	1		0. 7
7	09160-18022	ワザシヤ (18X24X1. 0)	1		
8	09443-11033	スフ* リング*	1		
9	42336-48H00	ラハ* -, フ* ロツフ* スタンド*	1		

FIG.415A




FIG. 415A (1-D-11) フットレスト

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	43501-23K10	フットレストアツシ, フロントライト	1		0.7
2	43511-23K00	.ブ ラケツト, フロントフットレストライト	1		0.7
3	43516-35F10	.バ ー, フロントフットレストライト	1		0.7
4	43576-48B02	.ボ ルト, バ ンクセンサ	1		
5	09208-08018	.ビ ン	1		
6	09448-14037	.スワ リンク	1		
7	08332-1106A	.Eリング	1		
8	43530-23K00	.ホルダ, フットレスト	1		
9	09106-10064	.ボ ルト (10X28)	1		
10	43502-23K00	フットレストアツシ, フロントレフト	1		0.7
11	43521-23K00	.ブ ラケツト, フロントフットレストレフト	1		0.7
12	43526-35F10	.バ ー, フロントフットレストレフト	1		0.7
13	43576-48B02	.ボ ルト, バ ンクセンサ	1		
14	09208-08018	.ビ ン	1		
15	09448-14037	.スワ リンク	1		
16	08332-1106A	.Eリング	1		
17	43530-23K00	.ホルダ, フットレスト	1		
18	09106-10064	.ボ ルト (10X28)	1		
19	09106-08196	ボ ルト (8X23)	4		
20	43611-23K00	バ ー, ヒ リオンフットレストライト	1		0.2
21	43621-23K00	バ ー, ヒ リオンフットレストレフト	1		0.2
22	09208-08020	ビ ン	2		
23	06111-07004	ホ ール	2		
24	09440-05005	スワ リンク	2		
25	43816-01H02	ブ レート, ヒ リオンフットレスト	2		
26	08332-1106A	Eリング	2		
27	43810-23K30	ブ ラケツト, ヒ リオンフットレストライト	1		
28	43820-23K30	ブ ラケツト, ヒ リオンフットレストレフト	1		
29	07130-0830A	ボ ルト	4		

FIG. 420A




FIG. 420A (1-D-12) フューエルタンク

見出番号	品番	品名	使用個数	備考	標準作業時間
1	44110-23K10-YSF	タンクアツシ, フューエル (7" ルー)	1		0.2
2	44200-23880	キャツブ セツト, フューエルタンク	1		0.2
3	44244-23K00	ホ ルト, フューエルタンクフイラキャツブ (5X20)	3		
4	01550-0625A	ホ ルト	2		
5	09160-06012	ワツシヤ (6. 5X22X1. 6)	2		
6	44511-16G01	クツシヨシ, フューエルタンクフロント	2		
7	44512-16G00	スベ ーサ, フューエルタンク, フロント	2		
8	44542-48H01	クツシヨシ, フューエルタンクフイラツブ ラケツト	1		
9	01550-0635A	ホ ルト	2		
10	44146-48H00	ワツシヤ, フューエルタンクフイラツブ ラケツト	1		
11	44541-23K00	クツシヨシ, フューエルタンクフイラツブ	2		
12	44544-05J00	スベ ーサ, リヤ	2		
13	44542-23K10	クツシヨシ, フューエルタンクフイラツブ	1		
14	44542-23K00	クツシヨシ, フューエルタンクフイラツブ	2		
15	44179-23K00	ブ ラケツト, フューエルタンクカハ ーライト	1		0.5
16	44189-23K00	ブ ラケツト, フューエルタンクカハ ーレフト	1		0.5
17	02142-0610A	スクリュ	2		
18	44572-23KA0	フアスタ (13X33)	4		
19	44183-23K00	クツシヨシ, フューエルタンクフイラツブ カハ ー	2		
20	44294-23K00	クツシヨシ, フューエルタンクカハ ーリヤ	2		
21	94478-14J00	クツシヨシ	2		
22	94478-14J00	クツシヨシ	2		
23	44240-13H00	ハ ルブ, フューエルタンクフイラツブ	1		0.8
24	44434-23K00	ホ ース, フューエルタンク/ジ ョイント	1		0.8
25	44435-23K00	ホ ース, ジ ョイント/チエツクハ ルブ	1		
26	44436-23K00	ホ ース, ジ ョイント/フイラツブ ハ ルブ	1		
27	44437-23K00	ホ ース, チエツクハ ルブ ト レーン	1		
28	44885-23K00	クツシヨシ, チエツクハ ルブ NO. 2	1		
29	44891-23K00	ブ ラケツト, チエツクハ ルブ	1		
30	44894-39J00	クツシヨシ, フューエルタンクフイラツブ	1		
31	44423-23K10	ホ ース, フューエルタンクフイラツブ ト レーン	1		
32	09367-06002	ジ ョイント, 3ウエイ	1		
33	09401-09403	クリツブ	3		
34	09401-11413	クリツブ (ID:11)	4		
35	44240-10G00	ハ ルブ アツシ, チエツク	1		0.8

FIG. 420A




FIG. 420A (1-D-13) フューエルタンク

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
36	44884-23K00	クッション、チエツクハ [®] ルフ NO. 1	1		

FIG.423A




FIG. 423A (1-D-14) フューエルタンクカバー

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	44292-23K00-YSF	カバー, フューエルタンクライト (フルー)	1		0.5
2	44293-23K00-YSF	カバー, フューエルタンクレフト (フルー)	1		0.5
3	44291-23KA0	カバー, フューエルタンクセンタ	1		0.6
4	44295-23K00	スクリュ, フューエルタンクカバー	2		
5	09320-06027	クッション (6. 5X14X6)	2		
6	09409-06341	クリップ (5. 9X20. 5)	2		
7	09409-08326	クリップ (10. 5X14. 3)	2		
8	44572-23KA0	ファスタ (13X33)	4		
9	44277-23K00	クッション, フューエルタンクサイト カバー	2		



FIG.427A




FIG. 427A (1-D-15) エバポシステム

見出番号	品番	品名	使用個数	備考	標準作業時間
1	18117-23K00	バルブ, キャニスターシ	1		1.1
2	18560-23K00	キャニスターツシ, エバポ	1		1.1
3	18561-23K00	ホース, キャニスターシ NO. 1	1		1.1
4	18562-23K00	ホース, キャニスターシ NO. 2	1		1.1
5	18563-23K00	ホース, キャニスターシ	1		1.1
6	18568-23K00	ホース, キャニスターレン	1		
7	18571-23K00	ブラケット, キャニスタ	1		1.1
8	18572-23K00	ブラケット, ソレノイドバルブ NO. 1	1		
9	18573-23K00	クッション, キャニスタ	1		
10	18574-23K00	ブラケット, ソレノイドバルブ NO. 2	1		
11	18575-23K00	クッション, ソレノイドバルブブラケット	1		
12	09401-06101	クリップ (ID: 6. 5)	3		
13	09401-08401	クリップ	3		
14	09401-09101	クリップ	1		
15	01547-0612A	ホルト	1		
16	01550-0612A	ホルト	1		
17	08316-1006A	ナット	1		



FIG.445A




FIG. 445A (1-D-16) フレームカバー

見出番号	品番	品名	使用個数	備考	標準作業時間
1	47111-23K00-291	カバー, フレームライト (フック)	1		0.2
2	47211-23K00-291	カバー, フレームレフト (フック)	1		0.2
3	44513-23K00	スクリュ, フレームカバー	6		
4	47310-23KN0-PBK	カバー, フレームアツパ ライト (シルバー)	1		0.4
5	68135-23KM0-B57	. テープ, フレームカバー-アツパ NO. 1ライト	1		
6	68136-23K40-B57	. テープ, フレームカバー-アツパ NO. 2ライト	1		
7	47312-37H10	クッション (10X24X13)	2		
8	47410-23KN0-PBK	カバー, フレームアツパ レフト (シルバー)	1		0.4
9	68145-23KM0-B57	. テープ, フレームカバー-アツパ NO. 1レフト	1		
10	68146-23K40-B57	. テープ, フレームカバー-アツパ NO. 2レフト	1		
11	47511-23K00-PBK	カバー, フレームアツパ センタ (シルバー)	1		0.4
12	09136-06105	スクリュ (6X20)	2		
13	09148-04019	ナット	6		
14	09148-04019	ナット	2		
15	09148-05058	ナット	2		
16	09180-06283	スベ-サ (6.5X10X7)	2		
17	09320-08018	クッション (8X26X7)	2		
18	09320-09016	クッション (9X18X9.5)	2		
19	09409-06341	クリツブ (5.9X20.5)	2		
20	09409-06341	クリツブ (5.9X20.5)	4		
21	03541-0412A	スクリュ	2		
22	03541-0412A	スクリュ	6		
23	47112-23K00	テープ, フレームカバー	2		
24	47117-10J00	クッション, フレームカバー	2		
25	47113-23K00	キヤツブ, フレームカバー	1		

FIG.460A

FIG. 460A (1-E-2) フロントフエンタ*

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	53111-23K00-PBK	フエンタ*, フロント (シルハ*)	1		0.4
2	47161-23J00	クツシヨソ, フレムカハ* -アツハ* (10X22X7)	4		
3	53121-23K00	スクリュ, フロントフエンタ* フロント	2		
4	53122-23K00	スクリュ, フロントフエンタ* リヤ	2		
5	53275-34J00	スベ* -サ, フロントフエンタ*	4		
6	09160-06060	ワツシヤ (6. 5X20X1. 2)	4		
7	08316-1006A	ナツト	2		
8	68155-23K20-B58	エンフ* レム, "ABS"	1		
9	68191-23K00	マ-カ, フロント	1		




FIG.462A




FIG. 462A (1-E-3) ハンドルバー

見出番号	品番	品名	使用個数	備考	標準作業時間
1	56110-23K20	バー, ハンドルライト	1		0.7
2	56150-23K20	バー, ハンドルルフト	1		0.7
3	56278-32J10	ハンドルサ, ハンドルバー	2		
4	09106-08185	ホルト (8X32)	2		
5	09127-06025	スクリュ (6X50)	2		
6	56500-17K10	ミラーアツシ, リヤヒューライト	1		0.2
7	56600-17K10	ミラーアツシ, リヤヒューレフト	1		0.2
8	09250-05009	キャツプ (OD:10)	4		
9	56524-23K10	キャツプ	2		
10	07130-0616B	ホルト	4		
11	58200-23KC0	ケーブルアツシ, クラツチ	1		0.4
12	58300-23KC1	ケーブルアツシ, スロットルNO. 1	1		0.6
13	58300-23KD1	ケーブルアツシ, スロットルNO. 2	1		0.6
14	58634-12K00	ストツパ, クラツチケーブル	1		
15	02112-0512A	スクリュ	1		
16	09407-14403	クランプ (L:125)	1		

FIG.467A




FIG. 467A (1-E-4) ハンドルレバー

見出番号	品番	品名	使用個数	備考	標準作業時間
1	57110-23K01	グリップ, スロットル	1		
2	57300-30H21	レバーアッシ, フレーキ	1		0.2
3	57431-30H20	ボルト, フレーキレバーピボット	1		
4	57421-30H10	レバー, フレーキ	1		0.4
5	57433-30H10	ナット, フレーキレバーピボット	1		
6	37750-40J01	スイッチアッシ, フロントブレーキ	1		
7	57465-17C00	スクリュー	1		
8	57211-40J01	グリップ レフト	1		
9	57500-23K00	レバーアッシ, クラッチ	1		1.1
10	57621-23K00	レバー, クラッチ	1		
11	57431-23F20	ボルト, レバーセット	1		
12	57441-25G00	アシスタ, ワイヤ	1		
13	57442-25G00	ナット, ロック	1		
14	01547-0625B	ボルト	1		
15	08319-2106A	ナット	1		
16	57560-41G20	スイッチ, クラッチ	1		
17	57562-41G21	スクリュー, クラッチスイッチ	1		
18	57661-23K00	カバー, クラッチレバー	1		

FIG.474A




FIG. 474A (1-E-5) リヤフェンタ*

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	63111-23K00	フェンタ*, リヤフロント	1		0.7
2	48278-16H10	クツシヨ (8X26X7)	1		
3	63121-23K00	カバ*, リヤフェンタ* フロント	1		0.7
4	63130-23K00	ブ* レース, リヤフェンタ*	1		
5	63141-23K00	フェンタ*, リヤリヤ	1		0.7
6	63151-23K00	クツシヨ, リヤフェンタ* フロント	1		
7	63152-23K00	クツシヨ (10X30X3)	1		
8	09111-06072	ボ* ルト (6X17.8)	4		
9	09111-06102	ボ* ルト (6X14.8)	2		
10	09148-04019	ナツト	2		
11	09409-06341	クリツブ* (5.9X20.5)	2		
12	03541-0412B	スクリュ	2		
13	03541-0616A	スクリュ	4		
14	63311-23K00	エクステンシヨ, リヤフェンタ*	1		0.5
15	09148-05080	ナツト	1		
16	09409-06341	クリツブ* (5.9X20.5)	4		
17	03541-0512A	スクリュ	1		
18	68171-23K20	エンフ* レム, スズ* キ	1		
19	63112-23K00	ブ* ラケツト, リヤフェンタ* フロント	1		0.7
20	09229-03020	リベ* ツト	2		
21	63113-23K00	ワツシヤ, リヤフェンタ* フロントブ* ラケツト	2		
22	96510-23K00	ツールアツシ	1		
23	63153-23K00	クツシヨ (70X80X10)	1		
24	68181-09D10	マーカ, トライアング* ル	1		

FIG.481A




FIG. 481A (1-E-6) カウリング ボデー

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1	94411-23K00-YSF	カウリング, ボデー (フルー)	1		0.4
2	94412-23K00	クッション, ミラー ラケット	2		0.7
3	94421-23K00	パネル, メータ	1		0.3
4	94510-23K00	ブレース, カウリング	1		0.9
5	94511-23K00	ブレース, カウリング ロア	1		
6	94540-23K00	ブラケット, サイド カウリング アツパ ライト	1		0.9
7	94550-23K00	ブラケット, サイド カウリング アツパ レフト	1		
8	94611-23K10	ウインド スクリーン	1		0.7
9	94621-23K00	スクリュ, ウインド スクリーン	6		
10	09111-06107	ボルト (6X12)	3		
11	09139-05503	スクリュ (5X13)	2		
12	09139-05503	スクリュ (5X13)	2		
13	09139-05504	スクリュ (5X18)	2		
14	09148-04019	ナット	2		
15	09148-05058	ナット	2		
16	94618-34J01	ナット, ウインド スクリーン	6		
17	09320-08018	クッション (8X26X7)	1		
18	09409-06341	クリップ (5.9X20.5)	4		
19	01550-0612A	ボルト	4		
20	68280-23K90-B57	テープ セット, ボデー カウリング	1		
21	01550-0830B	ボルト	2		
22	94413-23K00	クッション, ボデー カウリング	2		0.4
23	94414-23K00	クッション (10X10X30)	5		0.4
24	94415-23K00	テープ, ボデー カウリング	4		
25	47117-10J00	クッション, フレームカバー	2		

FIG.485A




FIG. 485A (1-E-7) サイド・カウリング*

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1	94431-23K00-PBK	カウリング*, サイド* アツパ* ライト (シルバー)	1		0.5
2	94432-23K00	カウリング*, サイド* ミドルライト	1		0.5
3	94433-23K00-YSF	カウリング*, サイド* ロアライト (ブルー)	1		0.3
4	44513-23K00	スクリュ, フレームカバー	2		
5	68641-23K20	エンブレム, "S"	2		
6	94434-23K00	クッション, サイド* カウリング* ロアインナ	1		
7	94436-23K00	クッション, アンダ* カウリング* ライト	4		
8	94437-23K00	クッション, サイド* カウリング* ミドル	2		
9	94441-23K00-PBK	カウリング*, サイド* アツパ* レフト (シルバー)	1		0.5
10	94442-23K00	カウリング*, サイド* ミドルレフト	1		0.5
11	94443-23K00-YSF	カウリング*, サイド* ロアレフト (ブルー)	1		0.3
12	94451-23K00	カバー, インテークライト	1		0.4
13	94461-23K00	カバー, インテークレフト	1		0.4
14	94471-23K00	カウリング*, インナフフロントライト	1		0.4
15	94478-14J00	クッション	2		
16	94481-23K00	カウリング*, インナフフロントレフト	1		0.3
17	94494-23K00	カウリング*, ロアセンタ	1		0.3
18	94560-23K00	ブラケット, サイド* カウリング* ロアフロント	1		
19	94570-23K00	ブラケット, アンダ* カウリング* リヤライト	1		
20	09139-06190	ボルト (6X20)	3		
21	09139-06190	ボルト (6X20)	1		
22	09148-04019	ナット	6		
23	09148-04019	ナット	1		
24	09148-05058	ナット	2		
25	09409-06341	クリップ (5.9X20.5)	2		
26	09409-06341	クリップ (5.9X20.5)	1		
27	01550-0612A	ボルト	2		
28	01550-0612B	ボルト	1		
29	03541-0412A	スクリュ	2		
30	03541-0412B	スクリュ	2		
31	03541-0416A	スクリュ	6		
32	03541-0416A	スクリュ	2		
33	03541-0416B	スクリュ	3		
34	03541-0416B	スクリュ	2		
35	03541-0516A	スクリュ	2		

FIG.485A




FIG. 485A (1-E-8) サイドカウリング

見出番号	品番	品名	使用個数	備考	標準作業時間
36	68181-23K20-BHB	エンブレム, "SUZUKI" (ホワイト/ブルー)	2		
37	68181-23K30-B57	エンブレム, "EGSTAR"	2		
38	68182-23K60-B57	テーフ, サイドカウリングアッパ NO. 3ライト	1		
39	68183-23K30-B57	テーフ, サイドカウリングアッパ NO. 2ライト	1		
40	68185-23K60-B57	エンブレム, "GSXR"	2		
41	68192-23K60-B57	テーフ, サイドカウリングアッパ NO. 3LEFT	1		
42	68193-23K30-B57	テーフ, サイドカウリングアッパ NO. 2LEFT	1		
43	94414-23K00	クッション (10X10X30)	1		

FIG.496A




FIG. 496A (1-E-9) ラベル/マニュアルオーナーズ

見出番号	品番	品名	使用個数	備考	標準作業時間
1	68319-40JD0	ラベル, セネラルウオーニング	1		
2	68332-23KA1	ラベル, タイヤインフォメーション	1		
3	68386-28H01	ラベル, ブレーキフルード インフォメーション	1		
4	68612-31J01	ラベル, カウリング	1		
5	99011-23K40	マニュアル, オーナーズ	1		
6	99012-00223	マニュアル, メンテナンス	1		
7	99016-00300	マニュアル, セフティ	1		
8	09811-00311	パツグ, ツール	1		

FIG.505A




FIG. 505A (1-E-10) シート

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1	45100-23K00-PRQ	シートアツシ (ﾌﾞﾗｯｸ)	1		0.2
2	45148-23J00	. ﾀﾞｯｼｮﾝ, ﾘｰﾄﾏｳﾝﾄ	4		
3	45149-23K00	ｸﾞﾞｼｮﾝ, ﾊﾞｯﾁﾘ	1		
4	45241-23K00	ﾎｰﾙﾄ, ﾘｰﾄ	2		
5	45288-12K00	ｶﾞｲﾄﾞ, ﾘｰﾄﾛｯｸｹｰﾌﾞﾙ	1		
6	45289-11F00	ﾌﾟﾚｰﾄ, ﾘｰﾄﾛｯｸｱｯｼ	1		
7	45289-23K10	ｶﾞｲﾄﾞ, ﾘｰﾄﾛｯｸ	1		
8	45220-04K30	ﾌﾞﾗｹｯﾄ, ﾘｰﾄﾗｲｶｻﾎｰﾄ	1		
9	02142-0610A	ｽｸﾘｭ	2		
10	45300-23K00-PRQ	ｼｰﾄｱｯｼ, ﾋﾞﾘｵﾝ (ﾌﾞﾗｯｸ)	1		0.2
11	45148-20G80	. ﾀﾞｯｼｮﾝ, ﾘｰﾄﾏｳﾝﾄ	2		
12	45290-23K00	. ﾘｰﾄﾗｲｶ, ﾘｰﾄﾛｯｸ	1		
13	45380-23K00-PRQ	. ﾊﾞﾝﾄﾞ, ﾋﾞﾘｵﾝｼｰﾄﾞｸﾞ ﾘｯﾌﾟ (ﾌﾞﾗｯｸ)	1		
14	09160-06012	. ﾜｯｼﾔ (6. 5X22X1. 6)	2		
15	08316-1006A	. ﾅｯﾄ	2		
16	95700-09880	ﾛｯｸｱｯｼ, ﾘｰﾄ	1		0.3
17	01550-0612A	ﾎｰﾙﾄ	2		

FIG.521A




FIG. 521A (1-E-11) フロントフォークダンパ

見出番号	品番	品名	使用個数	備考	標準作業時間
1	51103-23K00-BZ1	ダンパ アジン, フロントフォークライト	1		0.4
2	51131-23K00-BZ1	. チューブ, アウタレフト	1		0.6
3	51153-23K00	. オイルシール	1		0.6
4	51156-23K00	. リング, スナツフ	1		0.6
5	51571-23K00	. シール, ダスト	1		0.6
6	51110-23K00	. チューブ, インナ	1		0.6
7	51194-23K00	. シリンダ	1		
8	51177-08K00	. スフ リング, リバ ウント	1		0.6
9	51196-08K00	. リング, ヒ ストン	1		
10	51147-48130	. ホ ルト (8X27)	1		
11	51148-36011	. ガ スケツト (8. 2X13X1. 5)	1		
12	51171-23K00	. スフ リング, フロント	1		0.6
13	51172-36331	. シート, スフ リング	1		
14	51176-23K00	. スペ ーサ	1		
15	51117-43ECO	. Oリング	1		
16	51351-23K00	. キャツフ	1		0.6
17	51175-23K00	. シート, スフ リング	1		
18	51169-48500	. リング, ストツハ	1		
19	51195-48000	. オイルロツクヒ ース	1		0.6
20	51168-23K00	. スペ ーサ, シール	1		
21	51104-23K00-BZ1	ダンパ アジン, フロントフォークレフト	1		0.4
22	51141-23K00-BZ1	. チューブ, アウタレフト	1		0.6
23	51153-23K00	. オイルシール	1		0.6
24	51156-23K00	. リング, スナツフ	1		0.6
25	51571-23K00	. シール, ダスト	1		0.6
26	51110-23K00	. チューブ, インナ	1		0.6
27	51194-23K00	. シリンダ	1		
28	51177-08K00	. スフ リング, リバ ウント	1		0.6
29	51196-08K00	. リング, ヒ ストン	1		
30	51147-48130	. ホ ルト (8X27)	1		
31	51148-36011	. ガ スケツト (8. 2X13X1. 5)	1		
32	51171-23K00	. スフ リング, フロント	1		0.6
33	51172-36331	. シート, スフ リング	1		
34	51176-23K00	. スペ ーサ	1		
35	51117-43ECO	. Oリング	1		

FIG.521A




FIG. 521A (1-E-12) フロントフォークダンパ

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
36	51351-23K00	. キャップ	1		0.6
37	51175-23K00	. シート, スフ リング	1		
38	51169-48500	. リング, ストツバ	1		
39	51195-48000	. オイルロツケヒ ース	1		0.6
40	51168-23K00	. スペ ーサ, シール	1		

FIG.524A





FIG. 524A (1-E-13) ステアリング ステム

見出番号	品番	品名	使用個数	備考	標準作業時間
1	51410-23K30	ステム, ステアリング	1		1.5
2	51622-25G00	レース, ステアリング ロア	1		1.5
3	51311-23K50-YMC	ブラケット, アツハ (シルバー)	1		0.8
4	51353-12K00	ナット	1		
5	51354-49G00	ワッシャ	1		
6	51328-23K00	ホルト	2		
7	51434-12K00	ホルト	4		
8	51631-05000	ナット	1		
9	51611-41H01	レース, ステアリング インナアツハ	1		1.5
10	51612-41H01	レース, ステアリング インナロア	1		1.5
11	51621-41H00	レース, ステアリング アウタアツハ	1		0.8
12	06111-06003	ホル	23	アツハ	
13	06111-06003	ホル	28	ロア	
14	51643-06001	ダストシール, ステアリング アツハ	1		0.8
15	51344-23K00	キャップ, ステアリング ステム	1		
16	51910-23K30	プレート, ステアリング ロック	1		
17	09103-08351	ホルト (8X16)	2		

FIG.530A



GSX-R125RLWMO_N00_530A
FRONT WHEEL

FIG. 530A (1-E-14) フロントホイール

見出番号	品 番	品 名	使用個数	備 考	標準 作業時間
1-1	54111-23K10-019	ホイール, フロント (17M/CXMT2. 15, プラック)	1	BODY COLOR: YSF	1. 2
1-2	54111-23K10-QP2	ホイール, フロント (ブルー)	1	BODY COLOR: YUH	1. 2
1-3	54111-23K10-PZW	ホイール, フロント (17X2. 15, レッド)	1	BODY COLOR: YVU	1. 2
2	08123-63017	ベアリング	2		0. 6
3	54731-23K00	スベーク, フロントホイールベアリング	1		
4	09285-25003	シール, オイル (25X40X6)	2		0. 6
5	54711-23K00	アックスル, フロント	1		0. 3
6	54751-25G01	スベーク, フロントアックスル	2		
7	08319-3112A	ナット	1		
8	59211-25G60	ディスク, フロントブレーキ	1		0. 3
9	59218-09G10	ホルト, フロントブレーキディスク (8X21)	5		
10	55110-23K20	タイヤ, フロント (90/80-17M/C 46S D102FAJ)	1	90/80-17M/C 46S D 102FA J DUNLOP	0. 5
11	43130-40J00	ハブアッソシ, ホールリム (TR413)	1		
12	54162-23K00	リング, スピードセンサーフロント (46T)	1		0. 3
13	07130-0512A	ホルト	3		

GSX-R125RLWMO_N00

FIG.533A




FIG. 533A (1-E-15) ハイﾄﾞﾛﾘｯｸｳﾆｯﾄ

見出番号	品番	品名	使用個数	備考	標準作業時間
1	55610-23K00	ユニットアツシ, ハイﾄﾞﾛﾘｯｸABS	1		1.0
2	55660-23K00	ﾎﾙﾀﾞ, ハイﾄﾞﾛﾘｯｸｳﾆｯﾄABS	1		
3	55661-10G00	ﾎﾙﾄ, ハイﾄﾞﾛﾘｯｸｳﾆｯﾄﾏｳﾝﾁﾝｸﾞ (6X25)	2		
4	55662-10G00	ｽﾍﾟｰｻ, ハイﾄﾞﾛﾘｯｸｳﾆｯﾄﾏｳﾝﾁﾝｸﾞ (#05)	2		
5	55663-10G00	ﾗﾊﾞｰ, ハイﾄﾞﾛﾘｯｸｳﾆｯﾄﾏｳﾝﾁﾝｸﾞ	2		
6	55710-23K00	ｾﾝｻ, フﾛﾝﾄﾎｲｰﾙｽﾋｰﾄﾞ	1		0.8
7	55731-23K00	ｸﾗﾝﾌﾟ, ｾﾝｻﾘｰﾄﾞ フﾛﾝﾄ	1		
8	65710-23K00	ｾﾝｻ, リﾔﾎｲｰﾙｽﾋｰﾄﾞ	1		0.5
9	65731-23K00	ｸﾗﾝﾌﾟ, ｾﾝｻﾘｰﾄﾞ リﾔ	1		
10	09407-14407	ｸﾗﾝﾌﾟ (L:145)	2		
11	09408-00266	ｸﾗﾝﾌﾟ	3		
12	09408-00307	ｸﾗﾝﾌﾟ	4		
13	01547-0612B	ﾎﾙﾄ	1		
14	01547-0616B	ﾎﾙﾄ	2		
15	01550-0612A	ﾎﾙﾄ	2		
16	36652-23K00	ｸﾞｼﾞｮﾝ, ﾜｲﾔﾘﾝｸﾞ ﾎｰﾅｽ	1		

FIG.535A




FIG. 535A (1-E-16) フロントキャリパ°

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	59100-12K30	キャリパ° アツシ, フロント	1		0.3
2	59100-34870	. ヒ° ストンセット	1		0.6
3	59100-34860	. . シールセット, ヒ° ストン	1		0.6
4	59109-34J00	. インシユレータ	1		
5	59108-34J00	. タ° ストカバ°	1		
6	59315-34J00	. スフ° リンク°, ハ° ツト°	1		
7	59746-34J00	. クリツフ°	2		
8	59665-34J00	. サ° クリツフ°	1		
9	59187-34J00	. ヒ° ン	1		
10	59188-34J00	. スベ° -サ	1		
11	59351-34J00	. フ° ラケツト	1		
12	59121-30H00	. スクリユ, フ° リーダ°	1		
13	59122-30H00	. キヤツフ°, フ° リーダ°	1		
14	59101-34820	. ハ° ツト° セツト	1		0.2
15	59141-34J10	. ヒ° ン	1		
16	59145-34J00	. ストツハ°	1		
17	59382-34J00	. ヒ° ン	1		
18	01550-0825A	. ホ° ルト	2		

FIG.536A




FIG. 536A (1-F-2) フロントﾌﾞﾚｰｷﾎｰｽ

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	59200-23K10	ホースアツシ, フロントﾌﾞﾚｰｷﾏｽﾀｰｳﾆｯﾄ	1		0.8
2	59260-23K10	ｸﾗﾝﾌﾟ, フロントﾌﾞﾚｰｷﾎｰｽｱｯﾊﾞ	1		
3	59270-23K00	ｸﾗﾝﾌﾟ, フロントﾌﾞﾚｰｷﾎｰｽﾛﾌ	1		
4	59400-23K00	ホースｱｯｼ, ユﾆｯﾄｳｰﾌﾞﾚｰｷﾔﾘﾊﾞ	1		0.8
5	59492-22J00	ﾎｰﾙﾄ, ﾌﾞﾚｰｷﾌﾙｰﾄ	2		
6	09168-10033	ワｯｼﾔ (10. 2X15X1. 4)	4		
7	09403-06324	ｸﾗﾝﾌﾟ	1		
8	01547-0610B	ﾎｰﾙﾄ	1		
9	01547-0610B	ﾎｰﾙﾄ	2		
10	01547-0612B	ﾎｰﾙﾄ	1		

FIG.537A




FIG. 537A (1-F-3) フロントマスタシリンダ*

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	59600-12K10	シリンダ* アツシ, フロントマスタ	1		0.3
2	59870-30H00	. フ* ツシユロツト* アツシ	1		0.5
3	59665-30H00	. サークリツツ*	1		0.5
4	59610-12K00	. ピ* ストンアツシ	1		0.5
5	57318-12K00	. スプ* リンク*	1		
6	59667-12K00	. タ* イヤフラム	1		
7	59687-23K00	. カハ* *	1		
8	59671-30H00	. クランフ*	1		
9	59688-30H00	. スクリユ	2		
10	59668-30H00	. フ* レート, タ* イヤフラム	1		
11	59691-30H00	. フラツトスクリュ	2		
12	59669-30H00	. キヤツツ*	1		0.2



FIG.541A




FIG. 541A (1-F-4) リヤスイングアーム

見出番号	品番	品名	使用個数	備考	標準作業時間
1	61100-23K40	スイングアーム, リヤ	1		1.0
2	61280-23K00	スベーサ, リヤスイングアームピボット	1		
3	09263-17053	ベアリング (17X24X25)	2		1.0
4	61251-34J00	スベーサ, リヤスイングアームピボット	2		
5	61262-23K00	カバー, リヤスイングアームピボットダスト	2		
6	09181-12010	シム (12.5X27.8X0.8)	2		
7	61211-23K00	シャフト, リヤスイングアームピボット	1		1.1
8	08319-3112A	ナット	1		
9	61273-23K00	バウツア, チェーンツチーフエンス	1		
10	61311-23K00	ケース, チェーン	1		0.2
11	61361-09G30	ホルト, チェーンケース	2		
12	09409-06341	クリップ (5.9X20.5)	2		

This diagram illustrates the assembly of a front suspension system. The components are numbered as follows:

- 1**: Main suspension housing or frame.
- 2**: Lower control arm bushings.
- 3**: Upper control arm bushings.
- 4**: Lower control arm bushings (rear).
- 5**: Lower control arm.
- 6**: Lower control arm pin/bushings.
- 7**: Lower control arm pin/bushings.
- 8**: Lower control arm pin/bushings.
- 9**: Lower control arm pin/bushings.
- 10**: Lower control arm pin/bushings.
- 11**: Lower control arm pin/bushings.
- 12**: Lower control arm pin/bushings.
- 13**: Lower control arm pin/bushings.
- 14**: Lower control arm pin/bushings.
- 15**: Lower control arm pin/bushings.
- 16**: Lower control arm pin/bushings.
- 17**: Lower control arm pin/bushings.
- 18**: Lower control arm pin/bushings.
- 19**: Lower control arm pin/bushings.

The diagram shows the assembly of the lower control arm and the lower control arm pin/bushings. The lower control arm (5) is shown with bushings (2, 3, 4) and pins (6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19). The lower control arm pin/bushings (6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19) are shown being inserted into the lower control arm (5).

FWD

見出番号	品番	品名	使用個数	備考	標準作業時間
1	62600-23821	レバセツト, リヤクツシヨ	1		0.3
2	09263-17046	.ﾊﾞ アﾘﾝｸﾞ (17X24X32)	1	ﾌﾛﾝﾄ	
3	09263-17053	.ﾊﾞ アﾘﾝｸﾞ (17X24X25)	2	ｾﾝﾀ	1.0
4	09263-17034	.ﾊﾞ アﾘﾝｸﾞ (17X24X26)	1	ﾘﾔ	1.0
5	62684-23K10	ｽﾍﾞｰｻ, リヤクツシヨﾝﾙﾊﾞ ｳﾛﾝﾄ	1		0.6
6	62658-23K00	ﾎﾞﾙﾄ	1		
7	08319-3112A	ﾅｯﾄ	1		
8	62684-23K00	ｽﾍﾞｰｻ, リヤクツシヨﾝﾙﾊﾞ ｾﾝﾀ	1		0.6
9	09103-12097	ﾎﾞﾙﾄ (12X105)	1		
10	08319-3112A	ﾅｯﾄ	2		
11	62684-40A10	ｽﾍﾞｰｻ, リヤクツシヨﾝﾙﾊﾞ - (10X17X30)	1		0.6
12	62600-23831	ﾛｯﾄﾞ ｾｯﾄ, ｸﾂｼヨﾝﾙﾊﾞ -	1		0.3
13	09263-17053	.ﾊﾞ アﾘﾝｸﾞ (17X24X25)	2		1.0
14	62685-23K00	ｽﾍﾞｰｻ, リヤクツシヨﾝﾛｯﾄﾞ	1		0.6
15	09103-12077	ﾎﾞﾙﾄ (12X130)	1		
16	62100-23K10-019	ｱﾌﾞ ｿｰﾊﾞ ｱｯｼ, リﾔｼヨｯｸ (ﾌﾞﾗｯｸ)	1		0.6
17	09103-10049	ﾎﾞﾙﾄ (10X44)	1	ｱｯﾊﾞ	
18	08319-3110A	ﾅｯﾄ	1		
19	09103-10213	ﾎﾞﾙﾄ (10X52)	1	ﾛﾌ	

GSX-R125RLWM0_N00_550A
REARWHEEL



GSX-R125RLWMO_N00

見出番号	品番	品名	使用個数	備考	標準作業時間
1-1	64111-23K10-019	ホイル, リヤ (17M/CXMT3. 50, プラック)	1	BODY COLOR: YSF	1. 1
1-2	64111-23K10-QP2	ホイル, リヤ (ブルー)	1	BODY COLOR: YUH	1. 1
1-3	64111-23K10-PZW	ホイル, リヤ (17M/CXMT3. 50, レッド)	1	BODY COLOR: YVU	1. 1
2	69211-25G70	デイスク, リヤフ レーキ	1		0. 5
3	59218-09G10	ホルト, フロントブ レーキデイスク (8X21)	3		
4	64711-23K00	アクスル, リヤ	1		0. 4
5	64741-23K00	スベーサ, リヤアクスルライト	1		
6	08123-62027	ペアリング	1	ライト	0. 7
7	64841-23K00	シール, リヤホイルペアリングライト	1		
8	64731-23K00	スベーサ, リヤホイルペアリング	1		
9	08123-62027	ペアリング	1	レフト	0. 7
10	64651-35J00	アフソーバ, リヤハフ ショック	4		
11	64162-23K00	リング, スヒート センサリヤ (50T)	1		
12	07130-0512A	ホルト	3		
13	64761-23K00	リテーナ, リヤスフ ロケットドラム	1		
14	64611-23K00	ドラム, リヤスフ ロケットマウンチング	1		0. 6
15	08123-60047	ペアリング	1		0. 6
16	64841-34J00	シール, リヤスフ ロケットマウンチングドラム	1		
17	64742-23K00	スベーサ, リヤスフ ロケットドラム	1		
18	08319-3114A	ナット	1		
19	64511-23K00	スフ ロケット, リヤ (NT:45)	1		0. 5
20	09105-08011	ホルト (8X36)	4		
21	08319-3108A	ナット	4		
22	61410-34J00	アシヤスタ, チェーン	2		
23	61421-30H00	プレート, チェーンアシヤスタガイド	2		
24	61445-34J00	ワツシヤ, リヤアクスル	2		
25	08319-3106A	ナット	2		
26	65110-23K20	タイヤ, リヤ (130/70-17M/C 62S)	1	130/70-17M/C 62S D102A J DUNLOP	0. 7
27	43130-40J00	バルブアツシ, ホイルリム (TR413)	1		

FIG.555A





FIG. 555A (1-F-7) リヤキャリハ°

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	69100-23K10	キャリハ° アツシ, リヤ	1		0.7
2	51315-61J00	. ナツト, シリンダ° フ° ツシュロツト°	1		
3	59121-01A00	. フ° リーダ°	1		
4	59122-01A00	. キャツフ°, フ° リーダ°	1		
5	59145-37F00	. リンク°, スツハ°	1		
6	59146-20G00	. フ° ラカ°, ビ° ン	1		
7	59303-14500	. フ° ツ	1		0.8
8	59382-14500	. ビ° ン	1		
9	59386-13A00	. フ° ツ	1		
10	69100-20850	. ビ° ストンセツト	1		0.8
11	59100-38860	. . シールセツト, ビ° ストン	1		0.8
12	69101-34810	. ハ° ツト° セツト	1		0.2
13	69115-20G01	. スフ° リンク°, ハ° ツト°	1		
14	69187-34J00	. ビ° ン	1		
15	69345-20G00	. ビ° ン, ハンカ°	1		
16	69720-23K10	. フ° ラケツト	1		

FIG.558A



GSX-R125RLWM0_N00_558A
REARMASTER CYLINDER

FIG. 558A (1-F-8) リヤマスタシリンダ*

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1	59492-22J00	ホ ルト, プ レーフルド*	2		
2	69200-23K00	ホースアツシ, リヤブ レーキマスタツユニット	1		0.9
3	69400-23K00	ホースアツシ, ユニツツ-リヤブ レーキヤリハ*	1		0.9
4	09168-10033	ワツシヤ (10. 2X15X1. 4)	4		
5	01547-0625A	ホ ルト	1		
6	59735-17C00	クランブ*, リザ ーバ タンク, フロント	2		
7	69731-23K00	ホース, リヤリザ ーバ タンク	1		0.3
8	69740-20G10	タンクアツシ, リヤリザ ーバ	1		0.2
9	69669-20G10	. キヤツツ*	1		0.2
10	59668-18441	. プ レート, タ イヤフラム	1		
11	59667-18441	. タ イヤフラム	1		
12	69743-23K00	ガード*, リザ ーバ タンクキヤツツ*	1		
13	09200-06068	ピ ン (6X18. 2)	1		
14	01547-0616A	ホ ルト	1		
15	04111-2015A	ピ ン	1		
16	09139-06057	スクリュ (6X25)	2		
17	08322-0106A	ワツシヤ	1		
18	69600-23K00	シリンダ アツシ, リヤマスタ	1		0.4
19	69600-34840	. ピ ストン/カツツ セツト	1		0.5
20	69691-04A00	. . プ ーツ	1		
21	69665-47H00	. サークリツツ*	1		
22	69670-34J00	. ロツト*, プ ツシ	1		
23	69672-34J00	. コネクタ	1		
24	69686-34200	. Oリング*	1		
25	69692-44H00	. ヨーク	1		
26	69693-05A00	. ナツト	2		
27	02112-7412A	. スクリュ	1		

GSX-R125RLWM0_N00

FIG.970A




FIG. 970A (1-F-9) オプション (SEE NOTE 1)

見出番号	品 番	品 名	使用個数	備 考	標 準 作業時間
1-1	45550-23810-YSF	ホﾞツクス, シートテール (ﾌﾞﾙｰ)	1	BODY COLOR: YSF	0. 3
1-2	45550-23810-YUH	ホﾞツクス, シートテール (ﾎﾜｲﾄ)	1	BODY COLOR: YUH	0. 3
1-3	45550-23810-YVU	ホﾞツクス, シートテール (ﾌﾞﾗｯｸ)	1	BODY COLOR: YVU	0. 3

NOTE 1:
SEAT TAIL BOX